

Contents

| | | |
|-------|--|----|
| 1 | <i>Introduction to Kinetics</i> | 17 |
| 1.1 | Importance of kinetic analysis | 18 |
| 1.2 | Computer simulation | 19 |
| 1.2.1 | Dynamic simulation | 21 |
| 1.3 | Information content of kinetic data | 23 |
| 1.4 | The role of models in biochemistry | 24 |
| 1.4.1 | Lessons from Michaelis and Menten | 24 |
| 1.5 | Conventions regarding rate constants | 26 |
| 1.5.1 | Initial velocity versus eigenvalue | 28 |
| 1.5.2 | Rate constant or eigenvalue? | 29 |
| 1.5.3 | Do not use “observed rate constant” | 31 |
| 1.5.4 | Use of the word “rate” | 31 |
| 1.5.5 | The new standard | 32 |
| 1.6 | Three timescales of enzyme catalysis | 32 |
| 1.6.1 | Steady-state kinetics | 33 |
| 1.6.2 | Full progress curve kinetics | 34 |
| 1.6.3 | Pre-steady-state transient kinetics | 35 |
| 1.7 | Data fitting—equations versus simulation | 35 |
| 1.8 | Summary | 39 |
| 1.8.1 | Bullet point summary | 39 |
| 2 | <i>Computer Simulation</i> | 41 |
| 2.1 | Why use computer simulation? | 41 |
| 2.2 | Why KinTek Explorer? | 43 |
| 2.3 | How to set up a kinetic simulation | 46 |
| 2.3.1 | Step 1. Define a model | 47 |
| 2.3.2 | Step 2. Define an experiment | 49 |
| 2.3.3 | Step 3. Define the output observable | 51 |
| 2.3.4 | Example: Modeling binding kinetics | 51 |
| 2.3.5 | Simulating ligand binding kinetics | 52 |
| 2.4 | Understanding numerical integration | 54 |
| 2.5 | Example: Fitting steady-state kinetic data | 56 |
| 2.6 | Simulating what you cannot see | 58 |
| 2.7 | Introduction to nonlinear regression | 59 |
| 2.7.1 | Evaluating the quality of a data fit | 60 |
| 2.8 | Summary | 61 |
| 2.8.1 | Bullet point summary | 62 |

| | | |
|----------|--|-----|
| 3 | <i>Equilibrium Binding</i> | 65 |
| 3.1 | Importance of measurements at equilibrium | 66 |
| 3.1.1 | Free energy calculations | 67 |
| 3.1.2 | Analyte or titrant? | 68 |
| 3.1.3 | Introduction to equilibrium titrations | 69 |
| 3.2 | Measuring equilibrium binding | 70 |
| 3.3 | Kinetic endpoint method | 71 |
| 3.3.1 | Simulation exercise | 72 |
| 3.4 | Derivation of hyperbolic binding function | 75 |
| 3.4.1 | Normalizing the signal | 76 |
| 3.4.2 | Scatchard Plot | 77 |
| 3.5 | Derivation of quadratic equation | 79 |
| 3.6 | Quadratic versus hyperbolic equation | 81 |
| 3.6.1 | Tight versus weak binding | 83 |
| 3.6.2 | Choosing which equation to use | 84 |
| 3.6.3 | Guidelines for fitting equilibrium binding data | 85 |
| 3.7 | Equilibrium titration of dimer formation | 86 |
| 3.7.1 | Equations for monomer-dimer equilibrium | 87 |
| 3.8 | Methods to measure equilibrium binding | 88 |
| 3.8.1 | Number of data points needed | 89 |
| 3.8.2 | Time to reach equilibrium | 90 |
| 3.8.3 | Fluorescence | 90 |
| 3.8.4 | Fluorescence anisotropy | 92 |
| 3.8.5 | EMSA | 92 |
| 3.8.6 | ITC | 94 |
| 3.9 | Examples | 94 |
| 3.9.1 | Example: T7 DNA polymerase | 94 |
| 3.9.2 | Example: EPSP synthase binding glyphosate | 95 |
| 3.9.3 | Example: ITC of DNA binding to <i>mtSSB</i> | 97 |
| 3.9.4 | Example: How NOT to fit binding data | 99 |
| 3.10 | Competition in binding equilibria | 105 |
| 3.10.1 | Simulating competitive binding | 107 |
| 3.10.2 | Competition against a labeled ligand | 108 |
| 3.10.3 | Multi-step binding and linked equilibria | 110 |
| 3.10.4 | Net equilibrium constant for two-step binding | 111 |
| 3.11 | Summary | 113 |
| 3.11.1 | Bullet point summary | 114 |
| 4 | <i>Cooperativity</i> | 117 |
| 4.1 | Ligand binding to a dimeric protein | 118 |
| 4.2 | Simulating multiple ligand binding reactions | 120 |
| 4.3 | Analytic solutions of multi-site equilibrium binding | 125 |
| 4.3.1 | Testing the model and equations | 127 |
| 4.3.2 | Analytic solution of three-site binding | 128 |
| 4.3.3 | Analytic solution of four-site binding | 129 |
| 4.3.4 | The Hill Equation—use with caution! | 130 |
| 4.3.5 | The Adair equation | 132 |
| 4.3.6 | Monod-Wyman-Changeux Model | 132 |

| | | |
|--------|---|-----|
| 4.3.7 | Summary: Equations for cooperativity. | 134 |
| 4.4 | Simulating cooperativity | 135 |
| 4.4.1 | Simulating the MWC model | 137 |
| 4.5 | Fitting data with negative cooperativity | 139 |
| 4.6 | Summary | 145 |
| 4.6.1 | Bullet point summary | 147 |
| 5 | <i>Steady-State Kinetics</i> | 149 |
| 5.1 | Goals of this chapter | 150 |
| 5.2 | Steady-state versus transient kinetic methods | 151 |
| 5.3 | Derivation of a simple Michaelis-Menten equation | 153 |
| 5.4 | Measuring steady-state kinetics | 155 |
| 5.4.1 | Propagating and reporting standard errors | 157 |
| 5.4.2 | Units of velocity—confusion in enzymology | 158 |
| 5.4.3 | Michaelis-Menten equation: Linearized forms | 159 |
| 5.5 | Fitting to define k_{cat} and K_m by simulation | 161 |
| 5.5.1 | Fitting to define k_{cat} and k_{cat}/K_m | 164 |
| 5.5.2 | Fitting with five rate constants | 165 |
| 5.6 | Confidence contour analysis | 167 |
| 5.6.1 | Confidence contours—four-parameter model | 168 |
| 5.6.2 | Evaluating the results of data fitting | 170 |
| 5.7 | Fitting full progress curves by simulation | 170 |
| 5.8 | Equations for steady-state kinetic parameters | 172 |
| 5.8.1 | Kinetics of reversible reactions | 175 |
| 5.9 | Meaning of steady-state kinetic parameters | 176 |
| 5.9.1 | Summary: Meaning of k_{cat} , k_{cat}/K_m , and K_m | 179 |
| 5.9.2 | An alternative “Michaelis-Menten” equation | 180 |
| 5.9.3 | Definition of specificity constant | 181 |
| 5.9.4 | Simulating substrate competition | 181 |
| 5.10 | Complications | 183 |
| 5.10.1 | Enzyme activators | 183 |
| 5.10.2 | Substrate inhibition | 185 |
| 5.11 | Enzyme specificity, efficiency, and proficiency | 186 |
| 5.12 | Summary | 189 |
| 5.12.1 | Bullet point summary | 190 |
| 6 | <i>Steady-State Inhibition Patterns</i> | 193 |
| 6.1 | Derivation of equations for competitive inhibition | 195 |
| 6.2 | Understanding inhibition patterns | 198 |
| 6.2.1 | Competitive inhibition | 199 |
| 6.2.2 | Uncompetitive inhibition | 200 |
| 6.2.3 | Noncompetitive inhibition | 200 |
| 6.2.4 | Summary of inhibition patterns | 201 |
| 6.3 | Simulating enzyme inhibition | 202 |
| 6.3.1 | Simulating competitive inhibition | 203 |
| 6.3.2 | Simulating uncompetitive inhibition | 204 |
| 6.3.3 | Simulating noncompetitive inhibition | 204 |
| 6.4 | Inhibition patterns for different pathways | 205 |

| | | |
|-------|---|-----|
| 6.5 | Summary | 208 |
| 6.5.1 | Simple rules for predicting inhibition patterns | 209 |
| 7 | <i>Transient-State Kinetics</i> | 211 |
| 7.1 | Stopped-flow methods | 213 |
| 7.2 | KinTek stopped-flow instruments | 214 |
| 7.2.1 | Titration module | 216 |
| 7.3 | KinTek AutoSF | 216 |
| 7.4 | Rapid-quench-flow instruments | 217 |
| 7.5 | KinTek Rapid-Quench-Flow | 219 |
| 7.6 | Summary | 221 |
| 8 | <i>Ligand Binding Kinetics</i> | 223 |
| 8.1 | Irreversible one-step binding kinetics | 223 |
| 8.1.1 | Concentration dependence of ligand binding | 226 |
| 8.2 | Reversible one-step binding kinetics | 227 |
| 8.2.1 | Concentration dependence of reversible ligand binding | 229 |
| 8.2.2 | Comparing reversible and irreversible kinetics | 230 |
| 8.2.3 | Exponential functions for data fitting | 232 |
| 8.3 | Modeling fluorescence changes in <i>KinTek Explorer</i> | 233 |
| 8.3.1 | DHFR binding tetrahydrofolate | 234 |
| 8.3.2 | Measuring dissociation rates by competition | 236 |
| 8.3.3 | Simulating ligand exchange kinetics | 236 |
| 8.4 | The information content of kinetic data | 239 |
| 8.4.1 | Fitting fluorescence signals | 241 |
| 8.4.2 | Simulation exercise | 244 |
| 8.5 | Kinetics of reactions at 1:1 stoichiometry | 245 |
| 8.5.1 | Reversible reactions at 1:1 stoichiometry | 247 |
| 8.6 | Time to reach equilibrium | 247 |
| 8.6.1 | Equilibration time with tight binding | 248 |
| 8.7 | Modeling SPR kinetics | 252 |
| 8.8 | Summary | 254 |
| 9 | <i>Multi-Step Reaction Kinetics</i> | 257 |
| 9.1 | Two-step irreversible reactions | 258 |
| 9.1.1 | Analytic solution: Two-step irreversible | 259 |
| 9.1.2 | Errors in fitting double exponential functions | 261 |
| 9.1.3 | Distinguishing the order of sequential steps | 262 |
| 9.1.4 | What is a “lag time”? | 263 |
| 9.1.5 | Example: EcoRI restriction endonuclease | 264 |
| 9.1.6 | Processive DNA polymerization | 265 |
| 9.2 | Rapid-equilibrium approximation | 266 |
| 9.2.1 | Analytic solution of rapid equilibrium model | 269 |
| 9.2.2 | Concentration dependence | 270 |
| 9.2.3 | Globally fitting binding kinetic data | 272 |
| 9.2.4 | The net second-order rate constant | 274 |
| 9.2.5 | Kinetic signature of a rapid equilibrium | 275 |
| 9.2.6 | Example: H-ras p21 | 275 |
| 9.2.7 | EPSP Synthase binding S3P and glyphosate | 276 |
| 9.3 | Complete solution: Two-step reversible reactions | 278 |

| | | |
|--------|--|-----|
| 9.4 | Example: Tryptophan synthase | 279 |
| 9.4.1 | Fitting data by computer simulation | 281 |
| 9.4.2 | Confidence contour analysis | 281 |
| 9.4.3 | Fitting data using a three-step model | 282 |
| 9.5 | Rapid equilibrium minimum dissociation rate | 284 |
| 9.6 | Kinetics of ligand exchange | 285 |
| 9.7 | Example: Oligonucleotide binding to a ribozyme | 286 |
| 9.8 | Extending to more complex reactions | 288 |
| 9.8.1 | Kinesin alternating site mechanism | 288 |
| 9.8.2 | Voltage-gated ion channels | 292 |
| 9.9 | Summary | 293 |
| 9.9.1 | Bullet point summary | 293 |
| 10 | <i>Pre-Steady-State Burst</i> | 297 |
| 10.1 | Pre-steady-state burst kinetics | 297 |
| 10.1.1 | Simulating burst kinetics | 297 |
| 10.1.2 | Pre-steady-state burst: Irreversible chemistry | 299 |
| 10.1.3 | Effect of increasing product release rate | 301 |
| 10.1.4 | Pre-steady-state burst: Reversible chemistry | 302 |
| 10.1.5 | Estimation of intrinsic rate constants | 303 |
| 10.1.6 | Reversal of chemistry reduces burst amplitude | 304 |
| 10.1.7 | Effect of rapid-equilibrium substrate binding | 304 |
| 10.2 | DNA polymerase burst kinetics | 305 |
| 10.2.1 | Fitting by simulation | 305 |
| 10.3 | Effect of slow substrate binding | 306 |
| 10.3.1 | Use of equations versus fitting by simulation | 307 |
| 10.4 | Global data fitting | 308 |
| 10.4.1 | Global fitting of steady-state, pre-steady-state burst, and stopped-flow fluorescence data | 308 |
| 10.4.2 | Dynein ATPase pulse-chase experiments | 309 |
| 10.4.3 | HIV RT non-nucleoside inhibitors | 311 |
| 10.5 | Summary | 313 |
| 10.5.1 | Bullet point summary | 314 |
| 11 | <i>Detection of Intermediates</i> | 317 |
| 11.1 | Rationale for single-turnover experiments | 318 |
| 11.2 | Detection of an intermediate in EPSP synthase | 318 |
| 11.2.1 | A brief history of prior studies on EPSP synthase | 318 |
| 11.2.2 | Active site titration | 319 |
| 11.2.3 | Pre-steady-state burst experiments | 320 |
| 11.2.4 | Single turnover kinetic measurements | 321 |
| 11.2.5 | Globally Fitting EPSP synthase reactions | 321 |
| 11.2.6 | The EPSP synthase pathway | 323 |
| 11.3 | Simulation exercise and global data fitting | 324 |
| 11.4 | Structure proof of the intermediate | 327 |
| 11.4.1 | Observing the enzyme-bound intermediate | 328 |
| 11.4.2 | The question of kinetic competence | 329 |
| 11.4.3 | Free energy profile for EPSP synthase | 330 |

| | |
|--|-----|
| 11.5 Tryptophan synthase substrate channeling | 331 |
| 11.5.1 Alternating site mechanism | 333 |
| 11.6 Summary | 335 |
| 11.6.1 Bullet point summary | 336 |
| 12 <i>Induced-fit</i> | 339 |
| 12.0.1 Mobile loops in enzyme families | 340 |
| 12.0.2 A brief history of induced-fit | 341 |
| 12.1 DNA polymerase specificity | 342 |
| 12.1.1 Pre-steady-state burst kinetics | 343 |
| 12.1.2 Nucleotide-induced conformational change | 345 |
| 12.1.3 Global data fitting | 347 |
| 12.2 Free energy profile | 350 |
| 12.2.1 Kinetics of mismatch incorporation | 351 |
| 12.2.2 Nucleoside analog incorporation efficiency | 352 |
| 12.3 Simulating HIVRT kinetics | 354 |
| 12.3.1 Exploring HIVRT dynamics | 356 |
| 12.3.2 Molecular dynamics simulations | 357 |
| 12.4 Summary | 358 |
| 12.4.1 Bullet point summary | 359 |
| 13 <i>Slow-Onset Inhibition</i> | 361 |
| 13.1 Computer simulation of slow-onset inhibition | 362 |
| 13.2 Slow-onset inhibition follows burst kinetics | 364 |
| 13.3 Two-step inhibitor binding | 366 |
| 13.4 Example: Purine nucleoside phosphorylase | 368 |
| 13.5 Globally fitting slow-onset inhibition data | 371 |
| 13.5.1 Global versus equation-based fitting | 373 |
| 13.5.2 Understanding the Burst equation fitting error | 374 |
| 13.5.3 Measuring the inhibitor dissociation rate | 376 |
| 13.6 One- versus two-step inhibitor binding | 377 |
| 13.6.1 Extending the dynamic range | 379 |
| 13.7 Summary | 382 |
| 13.7.1 Bullet point summary | 382 |
| 14 <i>Lessons from DHFR</i> | 385 |
| 14.1 pH dependence | 385 |
| 14.2 DHFR structure and mechanism | 386 |
| 14.3 Transient kinetic analysis of DHFR | 388 |
| 14.4 Effects of point mutations on k_{cat} and K_m | 390 |
| 14.5 Summary | 391 |
| 15 <i>Global Data Fitting</i> | 395 |
| 15.1 Standard deviation | 397 |
| 15.1.1 Standard error and confidence limits | 398 |
| 15.1.2 Fitting a time-dependent measurement | 399 |
| 15.2 Fitting data with known sigma values | 400 |
| 15.2.1 Importance of including sigma values | 402 |
| 15.3 Fitting data without known sigma values | 403 |
| 15.4 Evaluating goodness of fit | 405 |
| 15.4.1 chi by eye | 405 |

| | |
|--|-----|
| 15.5 Deriving and using estimated sigma values | 405 |
| 15.5.1 Normalized residuals in global fitting | 408 |
| 15.5.2 Evaluating χ^2 | 410 |
| 15.6 Understanding and using the p -value | 410 |
| 15.7 Normalizing fluorescence signals | 411 |
| 15.8 Confidence contour analysis | 412 |
| 15.8.1 χ^2 threshold | 414 |
| 15.8.2 2D confidence contours | 415 |
| 15.8.3 Well-constrained parameters | 417 |
| 15.8.4 Overly complex model | 418 |
| 15.8.5 Resolving an overly complex model | 419 |
| 15.9 Summary | 424 |
| 16 <i>Analysis of Time-Resolved Spectra</i> | 427 |
| 16.1 Synthetic data example | 428 |
| 16.2 Example: Dihydroorotate dehydrogenase | 430 |
| 16.3 Example: pH titration of fluorescence spectra | 434 |
| 16.4 Summary | 437 |
| 17 <i>Single-molecule Kinetics</i> | 439 |
| 17.1 Understanding single-molecule kinetics | 441 |
| 17.2 Properties of single-molecule kinetic data | 443 |
| 17.2.1 Histograms represent the first derivative | 444 |
| 17.2.2 Integration of the histograms | 444 |
| 17.3 Enzyme mechanisms | 445 |
| 17.3.1 Fitting single-molecule data by simulation | 448 |
| 17.4 Effects of enzyme isomerization | 450 |
| 17.4.1 Irreversible half reactions | 451 |
| 17.4.2 Simulating single-molecule, multi-step kinetics | 451 |
| 17.4.3 A lag phase is only possible with energy input | 453 |
| 17.5 Summary | 454 |
| 17.5.1 Bullet point summary | 455 |
| 18 <i>Abbreviations</i> | 457 |
| <i>Bibliography</i> | 459 |
| <i>Index</i> | 475 |